

NT 361 Eco

Small handy commercial wet/ dry vacuum cleaner with patented filter back flushing (PFC - Power Filter Clean) and complete equipped with accessory. A further variant is the TE- version with a power outlet/ socket with automatic on-off control for electric power tools.

Standard accessories:

- Suction hose 2.5 m
- Metal suction tube
- 2 x 0.5 m
- Filter bag Paper
- Wet and dry floor tool 300 mm
- Crevice tool
- Auto shutdown when max. level is reached
- Eco filter system
- Flat pleated filter Paper
- Power Filter Clean
- Safety class II
- Caster with brake



Order no.: 1.184-101.0

Technical data

| | |
|------------------------------|-------------|
| Air flow rate (l/s) | 57 |
| Vacuum (mbar/kPa) | 235/23.5 |
| Container capacity (l) | 35 |
| Max. intake performance (W) | max. 1380 |
| Standard nominal width (mm) | 35 |
| Length of cord access. (m) | 7.5 |
| Sound pressure level (dB(A)) | 63 |
| Container material | Plastic |
| Frequency (Hz) | 50-60 |
| Voltage (V) | 230 |
| Weight (kg) | 9.5 |
| Dimensions (L x W x H) (mm) | 505x370x540 |

Details

Description

The small NT 361 eco wet and dry vacuum is a particularly user-friendly unit which is ideal for universal applications, e.g. in the trades, contract cleaning, finishings, car dealers and private household. One very practical feature of the new vac is the flat pleated filter which offers some essential benefits: The user can alternate between wet and dry pickup without any interruption because the filter element is always above the fluid level. Access to the filter is quick and simple because it is not necessary to remove the motor head first. Flat pleated filter increases useful capacity of container since it does not project downwards. Power Filter Clean System, filter cleaning via remote control ensures constant suction power. The electronic level monitor automatically switches the fan motor off when the maximum liquid level is reached. Unit has two large diameter wheels at the rear and two castors at the front for high stability and manoeuvrability, it is also light enough to be carried without difficulty. A large On-/Off-switch as well as holders for storing the cable and accessories on the unit offer additional user convenience.

Application

Universal applications in all the crafts and trades, e.g. wood-, plastic- and metal working trade & commerce, joiner's workshop, carpentry, automotive & car preparation, contract cleaners, service and private household.

Features & Benefits

Bypass suction fan installed in sound-proofing hood (63 dB (A)) • High suction power, trouble-free wet and dry pickup, low operating noise. Easily removed fan motor head with integrated on-/ off-switch, power cable holder and accessory storage • Waste container easily accessible, optimum protection for paper filter bag, convenient handling and operation ECO flat pleated filter tested according to the dust class M • Large filter area (0.62 m²) with the six benefits of the ECO-flat pleated filter Electronic liquid level monitoring during wet pickup • Fan switches off automatically when maximum liquid level is reached. PFC (patent) Power Filter Clean • Minimum filter wear, filter cleaning is done by remote control and ensures continuous high suction power

Accessories

Adapter (tube -> nozzle)

Adapter DN 35 - 40 (tube -> nozzle)

From DN 35 to 40, plastic

Order no. 6.902-084.0



Adapter for electric power tools, clip on, EL (electroconductive)

Connecting sleeve, electric tool C 35, el.

Inner Ø 28 mm / outer Ø 34 mm / 38.8 mm EL Only WD vacuums

Order no. 5.453-052.0



Connecting sleeve, electric tool C 35, el.

Inner Ø 32 mm / outer Ø 39 mm EL Only WD vacuums

Order no. 5.453-051.0



Adapter for electric power tools, C 35, el.

Inner Ø 27 mm / outer Ø 36.5 mm / 38.8 mm EL. Only WD vacuums

Order no. 5.453-050.0



Connecting sleeve, electric tool C 35, el.

Inner Ø 28.6 mm / outer Ø 37.3 mm / 38.8 mm EL Only WD vacuums

Order no. 5.453-049.0



Adapter for electric power tools, clip on, EL (electroconductive)**Adapter for electric power tools, C 35, el.**

Inner Ø 25.4 mm / outer Ø 34.6 mm / 38 mm EL. Only WD vacuums

Order no. 5.453-048.0



Adapter for electric power tools, screwable**Adapter for electric power tools, screwable 35**

Inner Ø 28 mm / outer Ø 34/38.8 mm, EL

Order no. 6.902-095.0



Adapter for electric power tools, screwable 35

Inner Ø 32 mm / outer Ø 39 mm

Order no. 6.902-059.0



Adapter for electric power tools, screwable 35

Inner Ø 28.6 mm / outer Ø 37.3/38.8 mm, EL

Order no. 5.453-026.0



Adapter for electric power tools, screwable 35

Plastic, suitable for DN 26-36, EL

Order no. 5.453-016.0



Adapter for electric power tools, screwable

Adapter for electric power tools, screwable

Plastic , adaptable from DN 26-36

Order no. 2.639-129.0



All-purpose brushes

All-purpose brush, DN 35

Natural bristles (ox hair), bristle element 120 x 45 mm

Order no. 6.903-863.0



All-purpose nozzles (wet/dry)

All-purpose nozzle (wet/dry)

Plastic with rollers, brush strips (6.905-878.0), rubber lips (6.905-877.0)

Order no. 6.906-554.0



All-purpose nozzle (wet/dry)

Plastic with rollers, brush strips (set 6.905-878) and rubber lips (set no. 6.905-877)

Order no. 6.906-513.0



All-purpose nozzle (wet/dry)

Aluminium with height-adjustable rollers, brush strips, rubber lips (Set no. 6.903-081).

Order no. 6.906-384.0



All-purpose nozzles (wet/dry)

All-purpose tool (wet/dry)

Aluminium with height-adjustable rollers, brush strips, rubber lips (set no. 6.906-146)

Order no. 6.906-383.0



All-purpose nozzle (wet/dry)

Aluminium with height-adjustable rollers, brush strips, rubber lips.

Order no. 6.903-018.0



Wet & dry floor nozzle DN 35

Plastic with rollers, brush strips, rubber lips (set no. 6.903-277)

Order no. 6.906-512.0



Bend metal

Bends

Metal

Order no. 6.900-519.0



Bends

Metal

Order no. 6.900-276.0



Bend plastic

Plastic bend

Plastic with C-40 clip system, electroconductive

Order no. 5.032-427.0



Plastic bend

Plastic with C-40 clip system

Order no. 5.031-904.0



Plastic bend

Plastic DN 35 with C-35 clip system, electroconductive

Order no. 5.031-939.0



Plastic bend

Plastic with C-35 clip system

Order no. 5.031-718.0



Bend stainless

Bends

Stainless steel

Order no. 6.903-141.0



Bend stainless

Bends

Stainless steel

Order no. 6.902-079.0



Car cleaning nozzles

Car cleaning nozzle, DN 35

Plastic

Order no. 6.906-108.0



Car vacuuming nozzle

Plastic

Order no. 6.900-952.0



Coarse filter for wet pickup

Coarse dirt filter for wet pickup

perforated metal plate, recommended for wet applications only

Order no. 6.904-287.0



Combi-nozzles (dry)

Combination nozzle packaged DN35

Plastic, with stainless steel soleplate and rollers, switchable

Order no. 6.906-874.0



Combi-nozzles (dry)

Combination nozzles (dry), DN 35

Plastic with stainless steel soleplate, chageover Only CV and NT vacuum cleaners

Order no. 6.906-639.0



Combi-nozzle (dry), DN 35

Plastic with stainless steel soleplate, switchable, with IC 35 inside cone

Order no. 6.906-511.0



Connecting sleeve C-DN (clip on taper), EL (electroconductive)

Connecting sleeve C-ID (clip on taper) (electrically conductive)

Connects C 35 hose for DN 35 EL accessories

Order no. 5.407-112.0



Connecting sleeve C-ID (clip on taper) (electrically conductive)

Connects C 40 hose for DN 40 EL accessories

Order no. 5.407-111.0



Connecting sleeve C-ID (clip on taper) (electrically conductive)

Connects C 40 hose for DN 35 EL accessories

Order no. 5.407-109.0



Connecting sleeves

Connecting sleeve

For connecting 2 suction hoses, thread on both sides

Order no. 6.902-078.0



Connecting sleeve

For connecting 2 suction hoses (not ESB 28)

Order no. 6.902-077.0



Connecting sleeve

For connecting 2 suction hoses, thread on both sides

Order no. 6.900-286.0



Crevice nozzles

Crevice nozzle DN 35

Plastic

Order no. 6.906-240.0



Grout nozzle

Metal

Order no. 6.905-817.0



Crevise nozzles

Grout nozzle

Plastic

Order no. 6.903-033.0



Grout nozzle

Metal

Order no. 6.900-922.0



Grout nozzle

Plastic

Order no. 6.900-385.0



Crevise tools

Grout nozzle, stainless steel

Grout nozzle, stainless steel, 400 mm

Order no. 6.900-926.0



Grout nozzle, synthetic

Grout nozzle, plastic, 370 mm

Order no. 6.900-222.0



Diaphragm filter/ fabric filter

Diaphragm filter / fabric filter

Polyester needled fleece, washable (40 °C)

Order no. 6.904-212.0



Extension hoses (Clip-system)

Extension hose C 32 - C 35, el., clip system

for all C-32 and C-35 hoses, electroconductive

Order no. 6.906-277.0



Extension hose C 32 - C 35 - clip system

for all C-32 and C-35 hoses

Order no. 6.906-237.0



Extension tube, metal

Extension tube, metal, DN 35

Extension tube, DN 35, chrome-plated metal. For extending a suction tube from 0.5 m to 0.75 m length

Order no. 6.904-276.0



Flat pleated filter (paper)

Flat pleated filter, packed - dust class M

Paper, dust class M approved

Order no. 6.904-367.0



Flat pleated filter (PES)

Flat pleated filters (PES)

Polyester fleece material, special coated, rot-proof, BIA-C dust class M approved

Order no. 6.904-360.0



Flat pleated filter (PES)

Polyester fleece material, rot-proof, BIA-C dust class M approved

Order no. 6.904-190.0



Fleece filter bags (3 ply)

Fleece filter bags NT 361 Eco + variants, 5 pcs.

Fleece filter bag, 3-ply, tear-resistant, dust class M / for dry applications

Order no. 6.904-351.0



HEPA filter for dust class H

HEPA flat filter

HEPA surface filter, dust class H (H 14)

Order no. 6.904-242.0



Nozzle sets

Nozzle set

Crevice tool, upholstery tool, round brush

Order no. 2.860-116.0



Paper filter (2 ply)

Paper filter bags

BIA-C, dust class M approved, reinforced outer ply, for cement dust, etc.

Order no. 6.904-259.0



Paper filter bags, 300 pcs

BIA-C dust class M approved / large-scale consumer pack

Order no. 6.904-224.0



Paper filter bags, 5 pcs

BIA-C, dust class M approved

Order no. 6.904-210.0



Pipe dusting nozzles

Pipe dusting nozzle

Plastic, pipe diameter 200 mm

Order no. 6.903-036.0



Pipe dusting nozzle

Plastic, pipe diameter 100 mm

Order no. 6.903-035.0



Plastic bend

Bends, plastic

Bends, plastic

Order no. 6.902-021.0



Plastic sacks for dust-free disposal

Plastic sacks for dust-free disposal

PE plastic sack

Order no. 6.596-886.0



Radiator brushes

Radiator brush

Plastic, for crevice nozzle 6.900-385

Order no. 6.903-034.0



Reducer (tube -> nozzle)

Reducer (tube -> nozzle)

From DN 35 to 32, metal

Order no. 6.902-072.0



Reducers (tube DN40—> nozzle)

From DN 40 to 35, plastic

Order no. 6.902-017.0



Reducing sleeve

Reducer

From C-40 hose to adapter, screwable DN 35

Order no. 5.407-108.0



Repair kits

Repair kit, C 35

Repair kit suction hose (clip system)

Order no. 2.639-682.0



Rubber suction tools, nose 45°

Rubber suction nozzle, 45° nose

For suction of machines, oil-resistant

Order no. 6.902-105.0



Rubber suction nozzle, 45° nose

For suction of machines, oil-resistant

Order no. 6.902-104.0



Set reducing / extension sleeves

Set reducing/ extension sleeves

ID 40/35, ID 35/32 (tube -> nozzle), plastic

Order no. 2.860-117.0



sonstiges

Extension cable

20 meter.

Order no. 6.647-022.0



Special filter bags, wet filter bags

Special filter bags, wet filter bags

Approved for dust class L, general cleaning, wet and dry, tear-resistant

Order no. 6.904-171.0



Suction brushes

Suction brushes

Natural bristles (cattle hair), pivotable

Order no. 6.903-862.0



Suction hoses (Clip-system)

Suction hose

Suction hose with bayonet coupling, electroconductive

Order no. 6.906-877.0



Suction hose (clip system)

With bayonet and clip connection

Order no. 6.906-714.0



Suction hoses (Clip-system)

Suction hose (clip system)

With bayonet and clip connecton

Order no. 6.906-546.0



Suction hose C-35, el.

With bayonet and clip connection. electrically conductive

Order no. 6.906-500.0



Suction hose (clip system)

With bayonet and clip connecton

Order no. 6.906-321.0



Suction hose C-35, el.

With bayonet and clip connection. electrically conductive

Order no. 6.906-275.0



Suction hose C-35

With bayonet and clip connecton

Order no. 6.906-242.0



Suction hose C-35

With bayonet and clip connecton

Order no. 6.906-241.0



Suction hoses (without connectors)

Suction hose, DN 32 & 35, el. (without connectors)

Electrically conductive, set of connectors 2.639-682 (clip)

Order no. 6.389-841.0



Suction hose, DN 32 & 35, el. (without connectors)

Electrically conductive

Order no. 6.389-840.0



Suction hose, DN 32 & 35 (without connectors)

To operate as a longer suction hose variant for commercial dry vacuum cleaner with the equipment associated repair set.

Order no. 6.388-765.0



Suction hoses complete

Suction hose, DN 27, el. complete

Connector for electric tools / electrically conductive

Order no. 4.440-462.0



Suction hose, DN 27

Connector for electric tools / electrically conductive

Order no. 4.440-461.0



Suction hoses complete

Suction hose, DN 27

Connector for electric tools

Order no. 4.440-446.0



Suction hose, DN 35

Temperature-resistant to 120 ° C

Order no. 4.440-339.0



Suction hoses complete (Clip-system)

Suction hose, C-DN 40, complete

With bend and module (4.060-474)

Order no. 4.440-679.0



Suction hose, C DN 35

With bend and module (4.060-478), electrically conductive

Order no. 4.440-654.0



Suction hose, C DN 35

With bend, electrically conductive

Order no. 4.440-653.0



Suction hoses complete (Clip-system)

Suction hose C-DN 35, complete

With bend

Order no. 4.440-626.0



Suction hose, C-DN 35, complete

With bend and module (4.060-420)

Order no. 4.440-627.0



Suction hoses with integrated compressed air supply

Suction hose with integral compressed air supply - Rectus

For FESTO pneumatic tools with IAS 2 system (only suitable for TEA/M A)

Order no. 2.860-198.0



Suction hose with integrated compressed air supply

For pneumatic tools with standard coupling (only suitable for TEA/M A)

Order no. 2.860-197.0



Suction tubes

Suction tube

metal

Order no. 6.900-274.0



Suction tubes metal

Suction tubes

Metal

Order no. 6.900-275.0



Suction tubes

Metal

Order no. 6.900-514.0



Suction tubes plastic

Suction tube, DN 35

Plastic

Order no. 6.900-384.0



Suction tube, DN 61

Plastic

Order no. 6.900-224.0



Suction tubes stainless

Suction tubes

Stainless steel

Order no. 6.906-531.0



Suction tubes stainless

Suction tubes

Stainless steel

Order no. 6.902-081.0



Suction tubes

Stainless steel

Order no. 6.902-046.0



Target-group-specific vacuum cleaner accessory sets

Boiler cleaning kit

with special filter bag and long crevice tool

Order no. 2.638-852.0



NT suction kit DN 40 e (electrically conductive)

Electrically conductive accessories

Order no. 2.638-147.0



Universal Trades and Industry Kit

3.0 m suction hose 4.440-299, metal bend 6.900-519, 2x 0.5m metal tubes

6.900-514, All-purpose tool 6.900-425, Crevice tool 6.900-385, Upholstery tool

6.900-233, Carpet/ hard floor tool 6.959-271, Floor tool for wet pickup 6.903-284

Order no. 2.637-595.0



Target-group-specific vacuum cleaner accessory sets

Auto kit

Component parts of kit: 4m suction hose (4.440-263) - car cleaning tool (6.900-952) - upholstery tool ID 35 (6.900-233) - reducer ID 40/35 (6.902-017)

Order no. 2.637-443.0



Professional cleaning kit

Individual parts: Suction hose 4 m (4.440-263), bend, metal (6.900-276), suction tube 2 x 0.5 m, metal (6.900-275), grout nozzle (6.903-033), floor nozzle with rollers (6.903-051)

Order no. 2.637-353.0



Builder's Kit

Individual parts: Suction hose 4 m (4.440-263), bend, metal (6.900-276), suction tube 2 x 0.5 m, metal (6.900-275), grout nozzle (6.903-033), floor nozzle (6.903-018)

Order no. 2.637-352.0



Horse grooming kit

Grooming brush, curry comb/rubber curry comb

Order no. 2.637-248.0



Tools for vacuuming smaller areas, cleaning machines

Rubber suction tool 45° DN61

Angled 45°, for suction of machines, oil-resistant

Order no. 6.902-106.0



Tools for vacuuming surfaces / cleaning machines

Surface tool alu DN61, 200mm

Flat surface nozzle cpl. DN 51, 200 mm, aluminium with brush and stainless steel bumper

Order no. 4.130-415.0



Turbo nozzle

Turbo nozzle

Floor nozzle, plastic, with reducing sleeve 35/32

Order no. 2.860-114.0



Turbo nozzle

Floor tool, plastic with reducer 35/32

Order no. 2.860-113.0



UBS non-conductive media

UBS non-conductive media

For switching off when vacuuming non-conductive fluids such as oils and greases

Order no. 2.882-517.0



Y-piece kit

Y-junction kit

Distributor, plastic

Order no. 2.637-217.0

